

Apache FOP Compliance Page

Table of contents

1 W3C XSL-FO 1.0 Standard.....	2
1.1 XSL-FO Object Support.....	2
1.2 XSL-FO Property Support.....	2
1.3 XSL-FO Core Function Library Support.....	4
2 XSL-FO Object Support Table (§6).....	4
3 XSL-FO Property Support Table (§7).....	11
4 XSL-FO Core Function Library Support Table (§5.10).....	33

1. W3C XSL-FO 1.0 Standard

One of FOP's design goals is conformance to the [W3C XSL-FO 1.0 standard](#), which specifies three levels of "conformance": basic, extended, and complete. Although FOP does not currently conform to any of these levels, it is nevertheless a useful work-in-progress for many applications. The information presented here demonstrates FOP's progress toward the goal of conformance, which progress consists of implementation of specific objects and properties in the standard. The information presented is useful not only to the developers as a sort of "to do" list, but also for setting proper expectations for users and potential users.

In the tables below, "yes" (green background) indicates conformance, "no" (red background) indicates a lack of conformance, "partial" (greyish background) indicates partial conformance, and "na" indicates that the item is "not applicable" to FOP usually because FOP supports only visual media.

1.1. XSL-FO Object Support

- **Declarations and Pagination and Layout Formatting Objects:** [root](#), [declarations](#), [color-profile](#), [page-sequence](#), [layout-master-set](#), [page-sequence-master](#), [single-page-master-reference](#), [repeatable-page-master-reference](#), [repeatable-page-master-alternatives](#), [conditional-page-master-reference](#), [simple-page-master](#), [region-body](#), [region-before](#), [region-after](#), [region-start](#), [region-end](#), [flow](#), [static-content](#), [title](#)
- **Block Formatting Objects:** [block](#), [block-container](#)
- **Inline Formatting Objects:** [bidi-override](#), [character](#), [initial-property-set](#), [external-graphic](#), [instream-foreign-object](#), [inline](#), [inline-container](#), [leader](#), [page-number](#), [page-number-citation](#)
- **Table Formatting Objects:** [table-and-caption](#), [table](#), [table-column](#), [table-caption](#), [table-header](#), [table-footer](#), [table-body](#), [table-row](#), [table-cell](#)
- **List Formatting Objects:** [list-block](#), [list-item](#), [list-item-body](#), [list-item-label](#)
- **Link and Multi Formatting Objects:** [basic-link](#), [multi-switch](#), [multi-case](#), [multi-toggle](#), [multi-properties](#), [multi-property-set](#)
- **Formatting Objects for Bookmarks:** [bookmark-tree](#), [bookmark](#), [bookmark-title](#)
- **Out-of-line Formatting Objects:** [float](#), [footnote](#), [footnote-body](#)
- **Other Formatting Objects:** [wrapper](#), [marker](#), [retrieve-marker](#)

1.2. XSL-FO Property Support

- **Common Accessibility Properties:** [source-document](#), [role](#)
- **Common Absolute Position Properties:** [absolute-position](#), [top](#), [right](#), [bottom](#), [left](#)
- **Common Aural Properties:** [azimuth](#), [cue-after](#), [cue-before](#), [elevation](#), [pause-after](#),

- [pause-before](#), [pitch](#), [pitch-range](#), [play-during](#), [richness](#), [speak](#), [speak-header](#), [speak-numeral](#), [speak-punctuation](#), [speech-rate](#), [stress](#), [voice-family](#), [volume](#)
- **Common Border, Padding, and Background Properties:** [background-attachment](#), [background-color](#), [background-image](#), [background-repeat](#), [background-position-horizontal](#), [background-position-vertical](#), [border-before-color](#), [border-before-style](#), [border-before-width](#), [border-after-color](#), [border-after-style](#), [border-after-width](#), [border-start-color](#), [border-start-style](#), [border-start-width](#), [border-end-color](#), [border-end-style](#), [border-end-width](#), [border-top-color](#), [border-top-style](#), [border-top-width](#), [border-bottom-color](#), [border-bottom-style](#), [border-bottom-width](#), [border-left-color](#), [border-left-style](#), [border-left-width](#), [border-right-color](#), [border-right-style](#), [border-right-width](#), [padding-before](#), [padding-after](#), [padding-start](#), [padding-end](#), [padding-top](#), [padding-bottom](#), [padding-left](#), [padding-right](#)
- **Common Font Properties:** [font-family](#), [font-selection-strategy](#), [font-size](#), [font-stretch](#), [font-size-adjust](#), [font-style](#), [font-variant](#), [font-weight](#)
- **Common Hyphenation Properties:** [country](#), [language](#), [script](#), [hyphenate](#), [hyphenation-character](#), [hyphenation-push-character-count](#), [hyphenation-remain-character-count](#)
- **Common Margin Properties - Block:** [margin-top](#), [margin-bottom](#), [margin-left](#), [margin-right](#), [space-before](#), [space-after](#), [start-indent](#), [end-indent](#)
- **Common Margin Properties - Inline:** [space-end](#), [space-start](#)
- **Common Relative Position Properties:** [relative-position](#)
- **Area Alignment Properties:** [alignment-adjust](#), [alignment-baseline](#), [baseline-shift](#), [display-align](#), [dominant-baseline](#), [relative-align](#)
- **Area Dimension Properties:** [block-progression-dimension](#), [content-height](#), [content-width](#), [height](#), [inline-progression-dimension](#), [max-height](#), [max-width](#), [min-height](#), [min-width](#), [scaling](#), [scaling-method](#), [width](#)
- **Block and Line-related Properties:** [hyphenation-keep](#), [hyphenation-ladder-count](#), [last-line-end-indent](#), [line-height](#), [line-height-shift-adjustment](#), [line-stacking-strategy](#), [linefeed-treatment](#), [white-space-treatment](#), [text-align](#), [text-align-last](#), [text-indent](#), [white-space-collapse](#), [wrap-option](#)
- **Character Properties:** [character](#), [letter-spacing](#), [suppress-at-line-break](#), [text-decoration](#), [text-shadow](#), [text-transform](#), [treat-as-word-space](#), [word-spacing](#)
- **Color-related Properties:** [color](#), [color-profile-name](#), [rendering-intent](#)
- **Float-related Properties:** [clear](#), [float](#), [intrusion-displace](#)
- **Keeps and Breaks Properties:** [break-after](#), [break-before](#), [keep-together](#), [keep-with-next](#), [keep-with-previous](#), [orphans](#), [widows](#)
- **Layout-related Properties:** [clip](#), [overflow](#), [reference-orientation](#), [span](#)
- **Leader and Rule Properties:** [leader-alignment](#), [leader-pattern](#), [leader-pattern-width](#), [leader-length](#), [rule-style](#), [rule-thickness](#)
- **Properties for Dynamic Effects Formatting Objects:** [active-state](#), [auto-restore](#), [case-name](#),

[case-title](#), [destination-placement-offset](#), [external-destination](#), [indicate-destination](#), [internal-destination](#), [show-destination](#), [starting-state](#), [switch-to](#), [target-presentation-context](#), [target-processing-context](#), [target-stylesheet](#)

- **Properties for Markers:** [marker-class-name](#), [retrieve-class-name](#), [retrieve-position](#), [retrieve-boundary](#)
- **Properties for Number to String Conversion:** [format](#), [grouping-separator](#), [grouping-size](#), [letter-value](#)
- **Pagination and Layout Properties:** [blank-or-not-blank](#), [column-count](#), [column-gap](#), [extent](#), [flow-name](#), [force-page-count](#), [initial-page-number](#), [master-name](#), [master-reference](#), [maximum-repeats](#), [media-usage](#), [odd-or-even](#), [page-height](#), [page-position](#), [page-width](#), [precedence](#), [region-name](#)
- **Table Properties:** [border-after-precedence](#), [border-before-precedence](#), [border-collapse](#), [border-end-precedence](#), [border-separation](#), [border-start-precedence](#), [caption-side](#), [column-number](#), [column-width](#), [empty-cells](#), [ends-row](#), [number-columns-repeated](#), [number-columns-spanned](#), [number-rows-spanned](#), [starts-row](#), [table-layout](#), [table-omit-footer-at-break](#), [table-omit-header-at-break](#)
- **Writing-mode-related Properties:** [direction](#), [glyph-orientation-horizontal](#), [glyph-orientation-vertical](#), [text-altitude](#), [text-depth](#), [unicode-bidi](#), [writing-mode](#)
- **Miscellaneous Properties:** [content-type](#), [id](#), [provisional-label-separation](#), [provisional-distance-between-starts](#), [ref-id](#), [score-spaces](#), [src](#), [visibility](#), [z-index](#)
- **Shorthand Properties:** [background](#), [background-position](#), [border](#), [border-bottom](#), [border-color](#), [border-left](#), [border-right](#), [border-style](#), [border-spacing](#), [border-top](#), [border-width](#), [cue](#), [font](#), [margin](#), [padding](#), [page-break-after](#), [page-break-before](#), [page-break-inside](#), [pause](#), [position](#), [size](#), [vertical-align](#), [white-space](#), [xml:lang](#)

1.3. XSL-FO Core Function Library Support

- **Number Functions:** [floor](#), [ceiling](#), [round](#), [min](#), [max](#), [abs](#)
- **Color Functions:** [rgb](#), [rgb-icc](#), [system-color](#)
- **Font Functions:** [system-font](#)
- **Property Value Functions:** [inherited-property-value](#), [label-end](#), [body-start](#), [from-parent](#), [from-nearest-specified-value](#), [from-table-column](#), [proportional-column-width](#), [merge-property-values](#)

2. XSL-FO Object Support Table (§6)

The following is a summary of FOP's current support for the standard XSL-FO objects.

Object Name	XSL-FO Conformance Level	Citation	Support in FOP				Comments
			0.20.5 (previous)	0.93 (stable)	0.94 (stable)	development	
Declarations and Pagination and Layout Formatting Objects (§6.4)							
root	Basic	§6.4.2	yes	yes	yes	yes	
declarations	Basic	§6.4.3	no	no	no	no	
color-profile	Extended	§6.4.4	no	no	no	no	
page-sequence	Basic	§6.4.5	yes	yes	yes	yes	
layout-master	Basic	§6.4.6	yes	yes	yes	yes	
page-sequence	Basic	§6.4.7	yes	yes	yes	yes	
single-page	Basic	§6.4.8	yes	yes	yes	yes	
repeatable-	Basic	§6.4.9	yes	yes	yes	yes	
repeatable-	Extended	§6.4.10	yes	yes	yes	yes	
conditional-	Extended	§6.4.11	yes	yes	yes	yes	
simple-page	Basic	§6.4.12	yes	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] The page width may not change among pages of the same page-sequence unless a forced break is inserted.
region-body	Basic	§6.4.13	yes	yes	yes	yes	

region-befo	Extended	§6.4.14	yes	yes	yes	yes	
region-after	Extended	§6.4.15	yes	yes	yes	yes	
region-start	Extended	§6.4.16	yes	yes	yes	yes	
region-end	Extended	§6.4.17	yes	yes	yes	yes	
flow	Basic	§6.4.18	yes	yes	yes	yes	
static-conte	Extended	§6.4.19	yes	yes	yes	yes	
title	Extended	§6.4.20	no	no	no	no	
Block Formatting Objects (§6.5)							
block	Basic	§6.5.2	yes	yes	yes	yes	
block-conta	Extended	§6.5.3	partial	partial	partial	partial	<ul style="list-style-type: none"> • [0.20.5] Currently only works as direct child of fo:flow. • [0.20.5] For absolute positioning, use 'position="absolute"' (as 'absolute-position="absolute"' is not implemented), and specify all four of "left", "top", "width" and "height" • [0.93 and later] No

							known restrictions.
Inline Formatting Objects (§6.6)							
bidirectional	Extended	§6.6.2	no	no	no	no	
character	Basic	§6.6.3	yes	yes	yes	yes	
initial-prope	Extended	§6.6.4	no	no	no	no	
external-gra	Basic	§6.6.5	yes	yes	yes	yes	
instream-fo	Extended	§6.6.6	yes	yes	yes	yes	<ul style="list-style-type: none"> Built-in support for SVG only, additional namespaces through optional extensions.
inline	Basic	§6.6.7	yes	yes	yes	yes	
inline-conta	Extended	§6.6.8	no	no	no	no	
leader	Basic	§6.6.9	partial	yes	yes	yes	
page-numb	Basic	§6.6.10	yes	yes	yes	yes	
page-numb	Extended	§6.6.11	partial	partial	partial	partial	<ul style="list-style-type: none"> [0.20.5] Only works for table of contents without any problems. The case where the page number doesn't

							<p>fit on a line isn't handled, and any text on the same line and after the page-number might not appear exactly where you want it to.</p> <ul style="list-style-type: none"> • [0.93 and later] After the page number is known, no relayout is performed. The appearance may be suboptimal depending on the use case.
Table Formatting Objects (§6.7)							
table-and-c	Basic	§6.7.2	no	no	no	no	

table	Basic	§6.7.3	partial	partial	partial	partial	<ul style="list-style-type: none"> [0.20.5–0.93] Only border-collapse="separate" [All] No support for auto layout yet
table-column	Basic	§6.7.4	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] You must explicitly specify column widths.
table-caption	Extended	§6.7.5	no	no	no	no	
table-header	Basic	§6.7.6	yes	yes	yes	yes	
table-footer	Extended	§6.7.7	yes	yes	yes	yes	
table-body	Basic	§6.7.8	yes	yes	yes	yes	
table-row	Basic	§6.7.9	yes	yes	yes	yes	
table-cell	Basic	§6.7.10	partial	yes	yes	yes	
List Formatting Objects (§6.8)							
list-block	Basic	§6.8.2	yes	yes	yes	yes	
list-item	Basic	§6.8.3	yes	yes	yes	yes	
list-item-body	Basic	§6.8.4	yes	yes	yes	yes	
list-item-label	Extended	§6.8.5	yes	yes	yes	yes	
Link and Multi Formatting Objects (§6.9)							
basic-link	Extended	§6.9.2	yes	yes	yes	yes	<ul style="list-style-type: none"> both internal and external supported

multi-switch	Extended	§6.9.3	no	no	no	no	
multi-case	Basic	§6.9.4	no	no	no	no	
multi-toggle	Extended	§6.9.5	no	no	no	no	
multi-proper	Extended	§6.9.6	no	no	no	no	
multi-proper	Extended	§6.9.7	no	no	no	no	
Formatting Objects for Bookmarks (§6.11 in XSL 1.1 WD)							
bookmark-ti (since XSL 1.1)	Extended	§6.11.1 in XSL 1.1 WD	no	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] Uses the proprietary fox:outline extension.
bookmark (since XSL 1.1)	Extended	§6.11.2 in XSL 1.1 WD	no	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] Uses the proprietary fox:outline extension.
bookmark-ti (since XSL 1.1)	Extended	§6.11.3 in XSL 1.1 WD	no	partial	partial	partial	<ul style="list-style-type: none"> [0.20.5] Uses the proprietary fox:outline extension. [0.93 and later] color, font-style and font-weight are not supported, yet.
Out-of-line Formatting Objects (§6.10)							
float	Extended	§6.10.2	no	no	no	no	
footnote	Extended	§6.10.3	yes	partial	partial	partial	<ul style="list-style-type: none"> [0.20.5] Footnotes

							<ul style="list-style-type: none"> sometimes overlap with the main content [0.93 and later] Restrictions with multi-column documents.
footnote-bo	Extended	§6.10.4	yes	yes	yes	yes	
Other Formatting Objects (§6.11)							
wrapper	Basic	§6.11.2	yes	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] Only works as expected with inline-level content.
marker	Extended	§6.11.3	yes	yes	yes	yes	
retrieve-ma	Extended	§6.11.4	yes	yes	yes	yes	

3. XSL-FO Property Support Table (§7)

The following is a summary of FOP's current support for the standard XSL-FO properties.

Property Name	XSL-FO Conformance Level	Citation	Support in FOP				Comments
			0.20.5 (previous)	0.93 (stable)	0.94 (stable)	development	
Common Accessibility Properties (§7.4)							
source-docu	Basic	§7.4.1	na	na	na	na	
role	Basic	§7.4.2	na	na	na	na	

Common Absolute Position Properties (§7.5)							
absolute-po	Complete	§7.5.1	no	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] Use shorthand position="absolute" as a workaround. [0.93 and later] No restrictions. The 0.20.5 work-around is not supported.
top	Extended	§7.5.2	yes	yes	yes	yes	
right	Extended	§7.5.3	yes	yes	yes	yes	
bottom	Extended	§7.5.4	yes	yes	yes	yes	
left	Extended	§7.5.5	yes	yes	yes	yes	
Common Aural Properties (§7.6)							
azimuth	Basic	§7.6.1	na	na	na	na	
cue-after	Basic	§7.6.2	na	na	na	na	
cue-before	Basic	§7.6.3	na	na	na	na	
elevation	Basic	§7.6.4	na	na	na	na	
pause-after	Basic	§7.6.5	na	na	na	na	
pause-before	Basic	§7.6.6	na	na	na	na	
pitch	Basic	§7.6.7	na	na	na	na	
pitch-range	Basic	§7.6.8	na	na	na	na	
play-during	Basic	§7.6.9	na	na	na	na	
richness	Basic	§7.6.10	na	na	na	na	
speak	Basic	§7.6.11	na	na	na	na	

speak-head	Basic	§7.6.12	na	na	na	na	
speak-nume	Basic	§7.6.13	na	na	na	na	
speak-punc	Basic	§7.6.14	na	na	na	na	
speech-rate	Basic	§7.6.15	na	na	na	na	
stress	Basic	§7.6.16	na	na	na	na	
voice-family	Basic	§7.6.17	na	na	na	na	
volume	Basic	§7.6.18	na	na	na	na	
Common Border, Padding, and Background Properties (§7.7)							
background	Extended	§7.7.1	no	no	no	no	
background	Basic	§7.7.2	yes	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] not yet implemented for table-column, table-body, table-header and table-footer.
background	Extended	§7.7.3	yes	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] not yet implemented for table-column, table-body, table-header and table-footer.
background	Extended	§7.7.4	no	yes	yes	yes	
background	Extended	§7.7.5	no	yes	yes	yes	
background	Extended	§7.7.6	no	yes	yes	yes	
border-befo	Basic	§7.7.7	yes	yes	yes	yes	

border-befo	Basic	§7.7.8	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only "solid" works
border-befo	Basic	§7.7.9	yes	yes	yes	yes	
border-after	Basic	§7.7.10	yes	yes	yes	yes	
border-after	Basic	§7.7.11	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only "solid" works
border-after	Basic	§7.7.12	yes	yes	yes	yes	
border-start	Basic	§7.7.13	yes	yes	yes	yes	
border-start	Basic	§7.7.14	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only "solid" works
border-start	Basic	§7.7.15	yes	yes	yes	yes	
border-end-	Basic	§7.7.16	yes	yes	yes	yes	
border-end-	Basic	§7.7.17	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only "solid" works
border-end-	Basic	§7.7.18	yes	yes	yes	yes	
border-top-c	Basic	§7.7.19	yes	yes	yes	yes	
border-top-s	Basic	§7.7.20	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only "solid" works
border-top-v	Basic	§7.7.21	yes	yes	yes	yes	
border-botte	Basic	§7.7.22	yes	yes	yes	yes	
border-botte	Basic	§7.7.23	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only "solid"

							works
border-bottom	Basic	§7.7.24	yes	yes	yes	yes	
border-left-color	Basic	§7.7.25	yes	yes	yes	yes	
border-left-style	Basic	§7.7.26	partial	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] only "solid" works
border-left-width	Basic	§7.7.27	yes	yes	yes	yes	
border-right-color	Basic	§7.7.28	yes	yes	yes	yes	
border-right-style	Basic	§7.7.29	partial	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] only "solid" works
border-right-width	Basic	§7.7.30	yes	yes	yes	yes	
padding-bottom	Basic	§7.7.31	partial	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] only one value allowed • [0.20.5] only implemented for blocks • [0.20.5] can't be used to make extra space (use indents + spaces instead) • [0.20.5] can be used to control

							how much the background-color extends beyond the content rectangle
padding-after	Basic	§7.7.32	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] same limitations as padding-before
padding-start	Basic	§7.7.33	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] same limitations as padding-before
padding-end	Basic	§7.7.34	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] same limitations as padding-before
padding-top	Basic	§7.7.35	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] same limitations as padding-before
padding-bottom	Basic	§7.7.36	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] same limitations as padding-before
padding-left	Basic	§7.7.37	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] same limitations as padding-before

padding-rigl	Basic	§7.7.38	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] same limitations as padding-before
Common Font Properties (§7.8)							
font-family	Basic	§7.8.2	partial	partial	partial	partial	<ul style="list-style-type: none"> [0.20.5] font-family lists are not supported, use a single font-family name [0.93 and later] font-family lists are allowed but glyph based font selection is not supported
font-selectic	Complete	§7.8.3	no	no	no	no	
font-size	Basic	§7.8.4	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] "smaller" and "larger" not implemented
font-stretch	Extended	§7.8.5	no	no	no	no	
font-size-ad	Extended	§7.8.6	no	no	no	no	
font-style	Basic	§7.8.7	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] "normal" is not

							supported
font-variant	Basic	§7.8.8	yes	no	no	no	
font-weight	Basic	§7.8.9	partial	partial	partial	partial	<ul style="list-style-type: none"> • [0.20.5] "normal", "bolder" and "lighter" are not supported • [0.93 and later] TODO <relative> font weights
Common Hyphenation Properties (§7.9)							
country	Extended	§7.9.1	yes	yes	yes	yes	
language	Extended	§7.9.2	yes	yes	yes	yes	
script	Extended	§7.9.3	no	no	no	no	
hyphenate	Extended	§7.9.4	yes	yes	yes	yes	
hyphenator	Extended	§7.9.5	yes	yes	yes	yes	
hyphenator	Extended	§7.9.6	yes	yes	yes	yes	
hyphenator	Extended	§7.9.7	yes	yes	yes	yes	
Common Margin Properties - Block (§7.10)							
margin-top	Basic	§7.10.1	partial	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] only on pages and regions
margin-bottom	Basic	§7.10.2	partial	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] only on pages and

							regions
margin-left	Basic	§7.10.3	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only on pages and regions
margin-right	Basic	§7.10.4	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only on pages and regions
space-before	Basic	§7.10.5	partial	partial	partial	partial	<ul style="list-style-type: none"> [0.20.5] space-before optimum supported [0.93 and later] Space adjustment may not fully work everywhere, yet.
space-after	Basic	§7.10.6	partial	partial	partial	partial	<ul style="list-style-type: none"> [0.20.5] space-after optimum supported [0.93 and later] Space adjustment may not fully work everywhere, yet.
start-indent	Basic	§7.10.7	yes	yes	yes	yes	

end-indent	Basic	§7.10.8	yes	yes	yes	yes	
Common Margin Properties - Inline (§7.11)							
space-end	Basic	§7.11.1	no	no	no	no	
space-start	Basic	§7.11.2	no	no	no	no	
Common Relative Position Properties (§7.12)							
relative-pos	Extended	§7.12.1	no	no	no	no	
Area Alignment Properties (§7.13)							
alignment-a	Basic	§7.13.1	no	yes	yes	yes	
alignment-b	Basic	§7.13.2	no	yes	yes	yes	
baseline-sh	Basic	§7.13.3	partial	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] Only values "super" and "sub" have been implemented.
display-align	Extended	§7.13.4	partial	partial	partial	partial	<ul style="list-style-type: none"> • [0.20.5] Implemented only for table-cell and block-container. • [0.20.5] For table-cell, the "height" attribute must be set for the parent table-row; setting the height of the

							<ul style="list-style-type: none"> table or the table-cell results in vertical centering having no effect. [0.93 and later] TODO Check e-g, i-f-o.
dominant-ba	Basic	§7.13.5	no	yes	yes	yes	
relative-align	Extended	§7.13.6	no	no	no	no	
Area Dimension Properties (§7.14)							
block-progre	Basic	§7.14.1	no	yes	yes	yes	
content-heig	Extended	§7.14.2	no	yes	yes	yes	
content-wid	Extended	§7.14.3	no	yes	yes	yes	
height	Basic	§7.14.4	yes	yes	yes	yes	
inline-progre	Basic	§7.14.5	no	yes	yes	yes	
max-height	Complete	§7.14.6	no	no	no	no	
max-width	Complete	§7.14.7	no	no	no	no	
min-height	Complete	§7.14.8	no	no	no	no	
min-width	Complete	§7.14.9	no	no	no	no	
scaling	Extended	§7.14.10	no	yes	yes	yes	
scaling-met	Extended	§7.14.11	no	no	no	no	
width	Basic	§7.14.12	yes	yes	yes	yes	
Block and Line-related Properties (§7.15)							
hyphenation	Extended	§7.15.1	no	no	no	no	

hyphenation	Extended	§7.15.2	no	yes	yes	yes	
last-line-end	Extended	§7.15.3	no	yes	yes	yes	
line-height	Basic	§7.15.4	yes	yes	yes	yes	
line-height-s	Extended	§7.15.5	no	no	no	yes	
line-stacking	Basic	§7.15.6	no	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] value "line-height" not supported
linefeed-tre	Extended	§7.15.7	no	yes	yes	yes	
white-space	Extended	§7.15.8	no	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] inline elements may interfere with correct handling of this property in some cases
text-align	Basic	§7.15.9	partial	partial	partial	partial	<ul style="list-style-type: none"> Only start, end, center and justify are supported
text-align-la	Extended	§7.15.10	partial	partial	partial	partial	<ul style="list-style-type: none"> Only start, end, center and

							justify are supported
text-indent	Basic	§7.15.11	yes	yes	yes	yes	
white-space	Extended	§7.15.12	yes	yes	yes	yes	
wrap-option	Basic	§7.15.13	yes	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] Only supported on fo:block.
Character Properties (§7.16)							
character	Basic	§7.16.1	yes	yes	yes	yes	
letter-spacing	Extended	§7.16.2	yes	yes	yes	yes	
suppress-att	Extended	§7.16.3	no	no	no	no	
text-decoration	Extended	§7.16.4	yes	yes	yes	yes	
text-shadow	Extended	§7.16.5	no	no	no	no	
text-transform	Extended	§7.16.6	no	yes	yes	yes	
treat-as-word	Extended	§7.16.7	no	no	no	no	
word-spacing	Extended	§7.16.8	no	yes	yes	yes	
Color-related Properties (§7.17)							
color	Basic	§7.17.1	yes	yes	yes	yes	
color-profile	Extended	§7.17.2	no	no	no	no	
rendering-intent	Extended	§7.17.3	no	no	no	no	
Float-related Properties (§7.18)							
clear	Extended	§7.18.1	no	no	no	no	
float	Extended	§7.18.2	no	no	no	no	
intrusion-displacement	Extended	§7.18.3	no	no	no	no	
Keeps and Breaks Properties (§7.19)							

break-after	Basic	§7.19.1	yes	yes	yes	yes	
break-before	Basic	§7.19.2	yes	yes	yes	yes	
keep-together	Extended	§7.19.3	partial	partial	partial	partial	<ul style="list-style-type: none"> • [0.20.5] works only in table rows • [0.93] works on all implemented block-level FOs, but not on inline-level FOs. • [0.93 and later] <integer> values are not supported.
keep-within	Basic	§7.19.4	partial	partial	partial	partial	<ul style="list-style-type: none"> • [0.20.5] works only in table rows • [0.93 and later] works on all implemented block-level FOs, but not on inline-level FOs. • [0.93 and later] <integer>

							values are not supported.
keep-with-p	Basic	§7.19.5	partial	partial	partial	partial	<ul style="list-style-type: none"> • [0.20.5] works only in table rows • [0.93 and later] works on all implemented FOs, except list- and table-related and inline-level FOs. • [0.93 and later] <integer> values are not supported.
orphans	Basic	§7.19.6	no	yes	yes	yes	
widows	Basic	§7.19.7	no	yes	yes	yes	
Layout-related Properties (§7.20)							
clip	Extended	§7.20.1	no	no	no	no	
overflow	Basic	§7.20.2	no	yes	yes	yes	
reference-o	Extended	§7.20.3	no	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] Workaround for page-orientation (portrait vs. landscape) is to

							<ul style="list-style-type: none"> swap the page-width and page-height properties. [0.20.5] Workaround for block-container is to use SVG.
span	Extended	§7.20.4	yes	yes	yes	yes	
Leader and Rule Properties (§7.21)							
leader-align	Extended	§7.21.1	partial	no	no	no	<ul style="list-style-type: none"> [0.20.5] not value "page" [0.93 and later] Not supported
leader-patte	Basic	§7.21.2	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] not value "use-content" [0.93 and later] Value "use-content" does not work in all circumstances.
leader-patte	Extended	§7.21.3	yes	yes	yes	yes	
leader-length	Basic	§7.21.4	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] leader-length.minimum is not

							used at all
rule-style	Basic	§7.21.5	yes	yes	yes	yes	
rule-thickne	Basic	§7.21.6	yes	yes	yes	yes	
Properties for Dynamic Effects Formatting Objects (§7.22)							
active-state	Extended	§7.22.1	no	no	no	no	
auto-restore	Extended	§7.22.2	no	no	no	no	
case-name	Extended	§7.22.3	no	no	no	no	
case-title	Extended	§7.22.4	no	no	no	no	
destination-	Extended	§7.22.5	no	no	no	no	
external-des	Basic	§7.22.6	yes	yes	yes	yes	
indicate-des	Extended	§7.22.7	no	no	no	no	
internal-des	Extended	§7.22.8	yes	yes	yes	yes	
show-destir	Extended	§7.22.9	no	no	no	no	
starting-stat	Extended	§7.22.10	no	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] support for starting-state on fo:bookmark
switch-to	Extended	§7.22.11	no	no	no	no	
target-pres	Extended	§7.22.12	no	no	no	no	
target-proce	Extended	§7.22.13	no	no	no	no	
target-style	Extended	§7.22.14	no	no	no	no	
Properties for Markers (§7.23)							
marker-clas	Extended	§7.23.1	no	yes	yes	yes	
retrieve-clas	Extended	§7.23.2	no	yes	yes	yes	
retrieve-pos	Extended	§7.23.3	no	yes	yes	yes	

retrieve-bou	Extended	§7.23.4	no	yes	yes	yes	
Properties for Number to String Conversion (§7.24)							
format	Basic	§7.24.1	no	yes	yes	yes	
grouping-se	Extended	§7.24.2	no	no	no	no	
grouping-siz	Extended	§7.24.3	no	no	no	no	
letter-value	Basic	§7.24.4	no	no	no	no	
Pagination and Layout Properties (§7.25)							
blank-or-no	Extended	§7.25.1	yes	yes	yes	yes	
column-cou	Extended	§7.25.2	yes	yes	yes	yes	
column-gap	Extended	§7.25.3	yes	yes	yes	yes	
extent	Extended	§7.25.4	yes	yes	yes	yes	
flow-name	Basic	§7.25.5	yes	yes	yes	yes	
force-page-	Extended	§7.25.6	no	yes	yes	yes	
initial-page-	Basic	§7.25.7	yes	yes	yes	yes	
master-nam	Basic	§7.25.8	yes	yes	yes	yes	
master-refe	Basic	§7.25.9	yes	yes	yes	yes	
maximum-r	Extended	§7.25.10	yes	yes	yes	yes	
media-usag	Extended	§7.25.11	no	no	no	no	
odd-or-ever	Extended	§7.25.12	yes	yes	yes	yes	
page-height	Basic	§7.25.13	yes	yes	yes	yes	
page-positi	Extended	§7.25.14	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] "last" isn't implemented!
page-width	Basic	§7.25.15	yes	yes	yes	yes	
precedence	Extended	§7.25.16	no	yes	yes	yes	
region-nam	Basic	§7.25.17	yes	yes	yes	yes	
Table Properties (§7.26)							

border-after	Basic	§7.26.1	no	no	no	no	
border-befo	Basic	§7.26.2	no	no	no	no	
border-colla	Extended	§7.26.3	partial	no	yes	yes	<ul style="list-style-type: none"> [0.94 and later] Some small limitations
border-end-	Basic	§7.26.4	no	no	no	no	
border-sepa	Extended	§7.26.5	no	yes	yes	yes	
border-start	Basic	§7.26.6	no	no	no	no	
caption-side	Complete	§7.26.7	no	no	no	no	
column-num	Basic	§7.26.8	no	yes	yes	yes	
column-wid	Basic	§7.26.9	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] "percentage" not implemented. Workaround is to use the XSL-FO "proportional-column-width" function.
empty-cells	Extended	§7.26.10	no	yes	yes	yes	
ends-row	Extended	§7.26.11	no	yes	yes	yes	
number-col	Basic	§7.26.12	no	yes	yes	yes	
number-col	Basic	§7.26.13	yes	yes	yes	yes	
number-row	Basic	§7.26.14	yes	yes	yes	yes	
starts-row	Extended	§7.26.15	no	yes	yes	yes	
table-layout	Extended	§7.26.16	no	no	no	no	
table-omit-f	Extended	§7.26.17	yes	yes	yes	yes	
table-omit-h	Extended	§7.26.18	yes	yes	yes	yes	

Writing-mode-related Properties (§7.27)							
direction	Basic	§7.27.1	no	no	no	no	
glyph-orient	Extended	§7.27.2	no	no	no	no	
glyph-orient	Extended	§7.27.3	no	no	no	no	
text-altitude	Extended	§7.27.4	no	no	no	no	
text-depth	Extended	§7.27.5	no	no	no	no	
unicode-bid	Extended	§7.27.6	no	no	no	no	
writing-mod	Basic	§7.27.7	no	no	no	no	
Miscellaneous Properties (§7.28)							
content-type	Extended	§7.28.1	no	no	no	no	
id	Basic	§7.28.2	yes	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] IDs on table-header, table-footer, table-body, table-row, table-and-caption, table-caption, inline-container and bidi-override are not available, yet.
provisional-	Basic	§7.28.3	yes	yes	yes	yes	
provisional-	Basic	§7.28.4	yes	yes	yes	yes	
ref-id	Extended	§7.28.5	yes	yes	yes	yes	
score-space	Extended	§7.28.6	no	no	no	no	
src	Basic	§7.28.7	yes	yes	yes	yes	
visibility	Extended	§7.28.8	no	no	no	no	
z-index	Extended	§7.28.9	no	no	no	no	

Shorthand Properties (§7.29)							
background	Complete	§7.29.1	no	no	no	no	
background	Complete	§7.29.2	no	yes	yes	yes	
border	Complete	§7.29.3	no	yes	yes	yes	
border-bottom	Complete	§7.29.4	yes	yes	yes	yes	
border-color	Complete	§7.29.5	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only one value allowed
border-left	Complete	§7.29.6	yes	yes	yes	yes	
border-right	Complete	§7.29.7	yes	yes	yes	yes	
border-style	Complete	§7.29.8	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only "solid" works
border-spacing	Complete	§7.29.9	no	yes	yes	yes	
border-top	Complete	§7.29.10	yes	yes	yes	yes	
border-width	Complete	§7.29.11	yes	yes	yes	yes	
cue	Complete	§7.29.12	na	na	na	na	
font	Complete	§7.29.13	no	partial	partial	partial	<ul style="list-style-type: none"> [0.93 and later] Enum values other than "inherit" not yet supported.
margin	Complete	§7.29.14	partial	yes	yes	yes	<ul style="list-style-type: none"> [0.20.5] only on pages and

							regions
padding	Complete	§7.29.15	partial	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] only one value allowed • [0.20.5] only implemented for blocks • [0.20.5] can't be used to make extra space (use indents + spaces instead) • [0.20.5] can be used to control how much the background-color extends beyond the content rectangle
page-break	Complete	§7.29.16	no	yes	yes	yes	
page-break	Complete	§7.29.17	no	yes	yes	yes	
page-break	Complete	§7.29.18	no	yes	yes	yes	
pause	Complete	§7.29.19	na	na	na	na	
position	Complete	§7.29.20	partial	yes	yes	yes	<ul style="list-style-type: none"> • [0.20.5] "inherit"

							not handled
size	Complete	§7.29.21	no	no	no	no	
vertical-align	Complete	§7.29.22	partial	partial	partial	partial	<ul style="list-style-type: none"> • [0.20.5] Only works as a shorthand for baseline-shift property. • [0.93 and later] Percentages are not supported, yet.
white-space	Complete	§7.29.23	no	yes	yes	yes	
xml:lang	Complete	§7.29.24	no	no	no	no	

4. XSL-FO Core Function Library Support Table (§5.10)

The following is a summary of FOP's current support for the XSL-FO Core Function Library.

Function Name	XSL-FO Conformance Level	Citation	Support in FOP				Comments
			0.20.5 (previous)	0.93 (stable)	0.94 (stable)	development	
Number Functions (§5.10.1)							
floor	Basic	§5.10.1	yes	yes	yes	yes	
ceiling	Basic	§5.10.1	yes	yes	yes	yes	
round	Basic	§5.10.1	yes	yes	yes	yes	
min	Basic	§5.10.1	yes	yes	yes	yes	
max	Basic	§5.10.1	yes	yes	yes	yes	
abs	Basic	§5.10.1	yes	yes	yes	yes	

Color Functions (§5.10.2)							
rgb	Basic	§5.10.2	yes	yes	yes	yes	
rgb-icc	Basic	§5.10.2	no	yes	yes	yes	
system-cold	Basic	§5.10.2	no	yes	yes	yes	
Font Functions (§5.10.3)							
system-font	Basic	§5.10.3	no	no	no	no	
Property Value Functions (§5.10.4)							
inherited-pr	Basic	§5.10.4	yes	yes	yes	yes	
label-end	Basic	§5.10.4	yes	yes	yes	yes	
body-start	Basic	§5.10.4	yes	yes	yes	yes	
from-parent	Basic	§5.10.4	yes	yes	yes	yes	
from-neares	Basic	§5.10.4	yes	yes	yes	yes	
from-table-c	Basic	§5.10.4	no	yes	yes	yes	
proportiona	Basic	§5.10.4	yes	yes	yes	yes	
merge-prop	Basic	§5.10.4	no	no	no	no	