

# 折桂软件SSO 单点登录系统用户手册

Ping Chen  
Ziran Liang  
Weihua Lu

---

# 折桂软件SSO 单点登录系统用户手册

由 Ping Chen、Ziran Liang和Weihua Lu

2.0.3

出版日期 2011-08-17

版权 © 2011 上海折桂软件有限公司

---

# 目录

1. 登录界面 .....	1
2. 主数据维护 .....	2
应用系统(维护) .....	2
条件查询 .....	2
创建(修改)应用系统 .....	2
删除应用系统 .....	3
应用用户(维护) .....	3
条件查询 .....	3
创建(修改)应用用户及新用户密码提示 .....	4
删除应用用户 .....	4
字符串替换规则(维护) .....	5
条件查询 .....	5
创建(修改)字符串替换规则 .....	5
删除字符串替换规则 .....	6
SSO 管理员用户(维护) .....	6
条件查询 .....	6
创建(修改)管理员用户 .....	7
删除管理员用户 .....	7
3. 权限控制 .....	8
SSO 后端应用与 sso 用户关系(维护) .....	8
条件查询 .....	8
创建SSO 后端应用与 sso 用户关系 .....	8
删除SSO 后端应用与 sso 用户关系 .....	9
SSO 权限功能点(维护) .....	9
条件查询 .....	9
创建(修改)权限功能点 .....	10
删除权限功能点 .....	10
用户与权限功能点关系(维护) .....	11
条件查询 .....	11
创建用户与权限功能点关系 .....	11
删除用户与权限功能点关系 .....	12
重设密码--单点登录后端应用用户 .....	12
条件查询 .....	12
重设密码 .....	13
重设密码--管理员用户 .....	13
条件查询 .....	13
4. 系统参数配置 .....	15
SSO 配置参数列表(维护) .....	15
SSO 配置参数列表修改 .....	15
已购买应用用户许可证 .....	15
添加购买应用用户许可证 .....	15
删除购买应用用户许可证 .....	16
5. 查看日志 .....	17
登录/退出日志 .....	17
WEB访问日志 .....	17
出错日志查看 .....	18
最慢 url 报表 ( 平均操作时间最长 ) .....	18
最慢 url 报表(单个操作时间最长) .....	18
6. 统计报表 .....	19
访问数量趋势图 .....	19
在线用户趋势图 .....	20

7. 系统监控 .....	21
在线用户列表 .....	21
正在进行的在线用户操作 .....	21
JavaMelody .....	22
8. 当前登录管理员 .....	23
更改密码 .....	23
退出 .....	23
9. 帮助 .....	24
帮助 .....	24

---

# 第 1 章 登录界面



折桂单点登录系统

管理员登录

用户名/邮件:

密码:

 登录 [帮助](#)

By [Shanghai Zhegui Software](#)


管理员用户登录,可以用账号和邮件两种方式.

## 第 2 章 主数据维护

包括单点登录后端应用系统,单点登录后端应用用户,单点登录后端应用页面字符替换规则,管理用户四个功能。

### 应用系统(维护)

#### 条件查询



The screenshot shows a search window with a title bar "Search..." and a close button. Below the title bar is a dropdown menu set to "AND" and a "+" button. The main search area contains a dropdown menu with "缩写名" (Abbreviation Name) selected, followed by a text input field containing "equal", and another empty text input field. To the right of the empty field is a "-" button. Below the search area is a horizontal scrollbar. At the bottom of the window are two buttons: "Reset" and "Find" with a magnifying glass icon.

#### 创建(修改)应用系统




The screenshot shows an "Edit Record" window with a title bar and a close button. The form contains the following fields and controls:

- 缩写名 (Abbreviation Name): Text input field containing "ctms\_dev".
- 应用系统全名 (Full Name of Application System): Text input field containing "晨通物流信息系统(开发)".
- 根url (Root URL): Text input field containing "http://127.0.0.1:8080/c".
- 使用 SSO 权限控制 (Use SSO Permission Control): Checkmark is checked.
- 需要用户登录 (Need User Login): Checkmark is checked.
- 超时秒数 (Timeout in seconds): Text input field containing "900".
- 备注 (Remarks): Empty text input field.


At the bottom of the window are two buttons: "Submit" and "Cancel".

## 删除应用系统



## 应用用户(维护)

### 条件查询



## 创建(修改)应用用户及新用户密码提示



**Add Record** [X]

应用用户登录名 test1 (\*)

应用用户全名 test1

电子邮件 test1@hotmail.com

联系电话

生效时间 2011-08-01 (\*)

报废时间


备注

[+] Submit [X] Cancel

**Success!!!** [X]

创建用户 test1 成功! 密码是: 6c88b9915f80478993ebd036b54ec0bd

## 删除应用用户



**Delete** [X]

Delete selected record(s)?

[X] Delete [O] Cancel

|--|

[<] [+] [Pencil] [Trash] [Magnifying Glass] [Refresh]

# 字符串替换规则(维护)


## 条件查询

The 'Search...' dialog box features a search bar at the top with a close button (X). Below it is a logical operator dropdown set to 'AND' with an add button (+). The main search criteria are defined by a dropdown menu showing '页面字符编码' (Page Character Encoding), a comparison operator dropdown set to 'equal', and an empty text input field. A minus button (-) is located to the right of the text input. At the bottom, there are 'Reset' and 'Find' buttons, with the 'Find' button accompanied by a magnifying glass icon.

## 创建(修改)字符串替换规则


The 'Edit Record' dialog box contains several input fields for defining a replacement rule. The fields are: '页面字符编码' (Page Character Encoding) with the value 'utf-8'; '符合规则的URL样例' (Sample URL matching the rule) with the value '^/issue\_tracking\_dev2ua'; '替换前字符串' (String to be replaced) with the value '/issue\_tracking\_uat2local'; '替换后字符串' (String to be replaced with) with the value '/issue\_tracking\_dev2uat/'; and '备注' (Remarks) with the value 'test 1'. At the bottom, there are navigation arrows (left and right) and two buttons: 'Submit' and 'Cancel'.

## 删除字符串替换规则




## SSO 管理员用户(维护)

### 条件查询



## 创建(修改)管理员用户




The 'Edit Record' dialog box contains the following fields and controls:

Field Label	Value
登录名	admin
登录全名	ZSSO administrator
电子邮件	admin@test.com
联系电话	
生效时间	
报废时间	
备注	

At the bottom of the dialog, there are navigation arrows (left and right) and two buttons: 'Submit' and 'Cancel'.

## 删除管理员用户



The 'Delete' dialog box displays the text 'Delete selected record(s)?' and contains two buttons: 'Delete' and 'Cancel'.


Below the dialog box, a toolbar is visible with icons for adding, editing, deleting, searching, and refreshing.

# 第 3 章 权限控制



包括单点登录后端应用系统与应用用户关系，权限功能点，用户与权限功能点关系，重设密码--单点登录后端应用用户，重设密码--管理员用户五大功能。

## SSO 后端应用与 sso 用户关系(维护)


### 条件查询



### 创建SSO 后端应用与 sso 用户关系




## 删除SSO 后端应用与 sso 用户关系



## SSO 权限功能点(维护)

### 条件查询



## 创建(修改)权限功能点

权限功能点

应用系统全名 晨通物流信息系统(开发)

权限功能点名称 所有权限

权限功能点中的网址

```
/web_dispatcher/message/message_attachment  
/web_dispatcher/message/tr_message_user?grid_action=query_page  
/web_dispatcher/message/tr_message_user?grid_action=edit_page  
/web_dispatcher/maintain/message_user?grid_action=query_page  
/web_dispatcher/maintain/message_user?grid_action=edit_page&oper=add  
/web_dispatcher/download/download_file  
/web_dispatcher/report/part_stock_distribution_query_input?data_type=part  
/web_dispatcher/report/part_stock_distribution_query_process  
/web_dispatcher/report/part_in_out_statistics_query_input?data_type=part&data_scope=admin  
/web_dispatcher/report/part_in_out_statistics_query_process?data_type=part&data_scope=admin  
/web_dispatcher/report/part_in_out_statistics_query_input?data_type=part&data_scope=supplier_user  
/web_dispatcher/report/part_in_out_statistics_query_process  
/web_dispatcher/report/container_in_out_statistics_query_input?data_type=container  
/web_dispatcher/report/container_in_out_statistics_query_process  
/web_dispatcher/common/export_binary_file  
/web_dispatcher/warehouse/part_inventory_grid  
/web_dispatcher/warehouse/package_inventory_grid  
/web_dispatcher/warehouse/part_inventory_input  
/web_dispatcher/warehouse/package_inventory_input  
/web_dispatcher/master_data_relationship/show_part  
/web_dispatcher/common_layout/load_page_menu
```

保存 关闭

## 删除权限功能点

权限功能点(维护)

Delete

Delete selected record(s)?

✖ Delete ⌂ Cancel

# 用户与权限功能点关系(维护)

## 条件查询

用户与权限功能点关系(维护)

Search...

AND +

应用用户登录名 equal

Reset Find

权限功能点

应用系统全名

晨通物流信息系统(开发)

Page 1 of 1 10 View 1 - 6 of

Page 1 of 1 10 View 1 - 1 of

## 创建用户与权限功能点关系

用户与权限功能点关系(维护)

应用用户

应用用户登录名	应用用户全名	电子邮件
<input type="checkbox"/> yangxuemei	杨雪梅	Wanli.Zhang@continental-c
<input type="checkbox"/> test	test user	test@test.com
<input type="checkbox"/> lilang	李亮	lilang@shanghaiim
<input type="checkbox"/> caixuefeng	蔡雪芬	xuefeng.cai@TRW
<input checked="" type="checkbox"/> test1	test1	test1@hotmail.com
<input type="checkbox"/> aa	aa	aa@aa.com

权限功能点

应用系统全名


☒ 晨通物流信息系统(开发)

保存

应用用户 + 权限功能点

应用用户登录名	电子邮件	应用系统全名	权限功能点名称
<input type="checkbox"/> yangxuemei	Wanli.Zhang@continental-c	晨通物流信息系统(开发)	所有权限
<input type="checkbox"/> test1	test1@hotmail.com	晨通物流信息系统(开发)	所有权限
<input type="checkbox"/> test	test@test.com	晨通物流信息系统(开发)	所有权限

## 删除用户与权限功能点关系



## 重设密码--单点登录后端应用用户 条件查询



## 重设密码

重设密码--单点登录后端应用用户

应用用户

<input type="checkbox"/>	应用用户登录名	应用用户全名	电子邮件
<input type="checkbox"/>	aa	aa	aa@aa.com
<input type="checkbox"/>	caixuefeng	蔡雪芬	xuefeng.cai@TRW.COM
<input type="checkbox"/>	liliang	李亮	liliang@shanghaiimct.com
<input type="checkbox"/>	test	test user	test@test.com
<input checked="" type="checkbox"/>	test1	test1	test1@hotmail.com
<input type="checkbox"/>	yangxumei	杨雪梅	Wanli.Zhang@continental-c

重设密码

操作结果状态 操作成功 0.05 (s)

详细描述 以下用户密码已重设: test1 --> 4b337204b9f340fe9fe9d915bef5dec8

## 重设密码--管理员用户

### 条件查询

重设密码--管理员用户

Search...

AND +

登录名 equal

Reset Find

Page 1 of 1 10

## 重设密码


与重设密码--单点登录后端应用用户相同

# 第 4 章 系统参数配置

包括系统参数配置和已购买应用用户许可证二大功能。

## SSO 配置参数列表(维护)

### SSO 配置参数列表修改




## 已购买应用用户许可证

### 添加购买应用用户许可证



## 删除购买应用用户许可证



# 第 5 章 查看日志

包括登录日志，web 访问日志，出错日志，最慢 url 报表（平均操作时间最长），最慢 url 报表（单个操作时间最长）五大功能。

## 登录/退出日志

登录/退出日志

应用用户登录名	会话ID	客户IP	登录时间	是否登录成功	登出时间
admin	265F8F0DD863C94C8E3C89846648228	127.0.0.1	2011-08-24 14:12:14	是	
admin	88488972CA38A8DD884DDAFD786733E0	127.0.0.1	2011-08-24 13:29:32	是	
admin	ED727CBAD76029682FD952A21D8257C1	127.0.0.1	2011-08-24 13:09:05	是	
admin	ED727CBAD76029682FD952A21D8257C1	127.0.0.1	2011-08-24 13:08:58	否	
admin	CA1870D8A8C894A9DA5D46E082D84934	127.0.0.1	2011-08-24 11:23:37	是	
admin	A72E8CE0BD1D034F821DE6C836E521F9	127.0.0.1	2011-08-24 10:39:14	是	
admin	C360279E4D3998A3CB83C5E6EFB3FF28	127.0.0.1	2011-08-24 09:34:56	是	
admin	5A78A3D23D6A84091C36C2453E818683	127.0.0.1	2011-08-23 16:24:09	是	
admin	2C4459837149A1A6589403A5DCB2B048	127.0.0.1	2011-08-23 16:00:36	是	
admin	39E52D18D4FA3F83FACEB68E9D9F7ECF	127.0.0.1	2011-08-23 15:29:33	是	

Page 1 of 2 10 View 1 - 10 of 17


## WEB访问日志

WEB访问日志

<input type="checkbox"/> 应用用户登录	URL	客户IP	请求开始时间	请求结束时间	回应开始时间	回应结束时间
<input type="checkbox"/>	/ctms_dev/print.css	127.0.0.1	2011-08-24 09:34:45	2011-08-24 09:34:45	2011-08-24 09:34:45	2011-08-24 09:34:45
<input type="checkbox"/>	/ctms_dev/jquery.form-2.63.js	127.0.0.1	2011-08-24 09:34:45	2011-08-24 09:34:45		
<input type="checkbox"/>	/ctms_dev/jquery_corner-2.11.js	127.0.0.1	2011-08-24 09:34:45	2011-08-24 09:34:45		
<input type="checkbox"/>	/ctms_dev/jquery-1.5.1.min.js	127.0.0.1	2011-08-24 09:34:45	2011-08-24 09:34:45	2011-08-24 09:34:45	
<input type="checkbox"/>	/ctms_dev/	127.0.0.1	2011-08-24 09:34:44	2011-08-24 09:34:44	2011-08-24 09:34:45	2011-08-24 09:34:45

Page 1 of 1 10 View 1 - 5 of 5

## 出错日志查看



## 最慢 url 报表（平均操作时间最长）

最慢 url 报表（平均操作时间最长）	
请求到响应的时间(s)	URL
0	/ctms_dev/print.css
0	/ctms_dev/


## 最慢 url 报表(单个操作时间最长)

最慢 url 报表(单个操作时间最长)			
请求到响应的时间(s)	应用用户登录名	URL	请求开始时间


# 第 6 章 统计报表

包括访问数量趋势图和在线用户趋势图二大功能。

## 访问数量趋势图



# 在线用户趋势图



---

## 第 7 章 系统监控

包括在线用户，正在进行的在线用户操作和 JavaMelody 三大功能。

### 在线用户列表

在线用户列表

SSO 管理员用户:			
用户名	电子邮件	最近操作时间	
admin	admin@test.com	2011-08-26 09:20:56	


应用用户:

用户名	电子邮件	最近操作时间	最后访问的url
test	test@test.com	2011-08-26 09:24:37	/ctms_dev/web_dispatcher/common_layout/load_page_menu

### 正在进行的在线用户操作

正在进行的在线用户操作			
用户名	正在运行的操作	开始时间	运行时间(秒)
test	/ctms_dev/web_dispatcher/user/user_change_control_node_input	2011-08-26 09:27:02	25

# JavaMelody



## 第 8 章 当前登录管理员

包括更改密码，退出当前用户二大功能。

### 更改密码



The screenshot shows the ZG system administrator interface. At the top left is the ZG logo. At the top right, the user is logged in as 'admin [admin@test.com]' with links for '更改密码' (Change Password), '退出' (Logout), and '帮助' (Help). Below the logo is a navigation bar with links: '首页' (Home), '主数据维护' (Master Data Maintenance), '权限控制' (Permission Control), '系统参数配置' (System Parameter Configuration), '查看日志' (View Logs), '统计报表' (Statistics Reports), and '系统监控' (System Monitoring). The main content area has a dark header 'SSO 管理员用户(修改密码)'. Below this are three input fields labeled '当前密码:' (Current Password), '新密码:' (New Password), and '确认新密码:' (Confirm New Password). A blue '保存' (Save) button is at the bottom.

### 退出



The screenshot shows the ZG system administrator interface. At the top left is the ZG logo. At the top right, the user is logged in as 'admin [admin@test.com]' with links for '更改密码' (Change Password), '退出' (Logout), and '帮助' (Help). Below the logo is a navigation bar with links: '首页' (Home), '主数据维护' (Master Data Maintenance), '权限控制' (Permission Control), '系统参数配置' (System Parameter Configuration), '查看日志' (View Logs), '统计报表' (Statistics Reports), and '系统监控' (System Monitoring).

# 第 9 章 帮助

## 帮助

